

**OUR
EXPERIENCE
COMES
FROM AFAR**




SIMERTEC
MECCANICA INDUSTRIALE



TECHNOLOGIES TOWARDS SPECIFIC FIELDS OF APPLICATION

Industrialization of repetitive customized codes made by primary production technologies less and less present in the Italian and European reality. The goal of our work is the identification of the most suitable production process for each single component and the optimization of the relative unit cost.

Industrialisierung von wiederholenden Einzelteilen nach Zeichnung durch primäre Fertigungstechnologien die in Italien bzw. Europa immer weniger vorhanden sind. Ziel unserer Arbeit ist die Feststellung des korrektesten Produktionsvorgang für jedes einzelne Bauteil, um die Optimierung der Einzelkosten zu gewährleisten.





SIMERTEC MEETS THE MEAT

Customized plates, knives, blades and
pulleys making your machine
unique and special.

Kundenspezifische Scheiben, Messer,
Schneiden und Riemenscheiben machen
ihre Maschine einzigartig und speziell.

Aluminium

Aluminium

Aluminium parts from 0,02kg to 35kg by die-casting, sand casting, gravity casting, low pressure casting.

Aluminiumteile ab 0,02 Kg. bis 35 Kg. durch Druckguss, Sandguss, Kokillenguss, Niederdruckguss.



Steel

Stahl

Steel and stainless steel parts by Silica Sol investment casting, from CT6 to CT9.

Stahl- und Edelstahlteile durch Silica sol investment casting (Feinguss). Gusstoleranzen von CT6 bis CT9.



Engineering plastics

Kunststoffteile


Typical material supplied:

PE, POM, PET, PA6, Peek, PC, PVDF, PTFE.
Machining of plastic bars and sheets.

Injection molding.

Typische lieferbare Werkstoffe:

PE, POM, PET, PA6, Peek, PC, PVDF, PTFE.
Zerspanung von Rundstangen und Kunststoffplatten.
Spritzgussteile.



Cast Iron

Gusseisen

Typical material supplied:

EN-GJL-150, GJL-200, GJL-250, GJL-300, GJL-350.


EN-GJS-400-18-LT, GJS-500-7, GJS-600-3,
GJS-700-2, GJS-800-2.

Suitable Weight: from 0.1 kg to 150 kgs.

Typische lieferbare Werkstoffe:

EN-GJL-150, GJL-200, GJL-250, GJL-300,
GJL-350. EN-GJS-400-18-LT, GJS-500-7,
GJS-600-3, GJS-700-2, GJS-800-2.

Gewichtsangabe: ab 0.1 Kg. bis 150 Kg.



THE RIGHT BALANCE BETWEEN SERVICE AND LOGISTICS



1

Office area

2

Vertical automatic warehouses

3

Stock of light and bulky material

4

Area for goods arrangement

5

Stock of plastic material

6

Dispatching area

7

Area for parts assembling

8

Material stock for customers' scheduled deliveries

9

Quality department



SIMERTEC
MECCANICA INDUSTRIALE

SIMERTEC s.r.l.

Via Braida 48/50 41042

Fiorano Modenese (MO) - Italy

Tel. +39 (0)536 810923

Fax +39 (0)536 911674

E-mail: info@simertec.it

Pec: simertec@legalmail.it

www.simertec.it